



Product Identifier: Fryer Squire  
Revision Date: 05/04/2015

## SAFETY DATA SHEET

This SDS complies with 29 CFR 1910.1200 (Hazard Communication Standard)  
IMPORTANT: Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, and users of this product.

### 1. Identification

#### 1.1. Product identifier

Product Identity	Fryer Squire
Alternate Names	Fryer Squire
Product Code	330-06

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use	Deep Fat Fryer Cleaner
Application Method	See Label Instructions

#### 1.3. Details of the supplier of the safety data sheet

Company Name	Diamond Products Inc. 1216 Bozeman Ave. Helena, MT 59601
--------------	--

#### Emergency

24 hour Emergency Telephone No.	Infotrac: 1 800-535-5053 Emergency: (406) 449-6570
Customer Service: Diamond Products Inc.	(406) 449-6570

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Acute Tox. 5;H313	May be harmful in contact with skin. (Not adopted by US OSHA)
Skin Corr. 1A;H314	Causes severe skin burns and eye damage.
Eye Dam. 1;H318	Causes serious eye damage.
Aquatic Chronic 2;H411	Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



**Danger**

H313 May be harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

**[Prevention]:**

P260 Do not breathe mist / vapors / spray.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

**[Response]:**

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

**[Storage]:**

P405 Store locked up.

**[Disposal]:**

P501 Dispose of contents / container in accordance with local / national regulations.

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium carbonate CAS Number: 0000497-19-8	25 - 50	Eye Irrit. 2;H319	[1]
Sodium hydroxide CAS Number: 0001310-73-2	25 - 50	Skin Corr. 1A;H314 Acute Tox. 4;H312 Aquatic Acute 2;H401 Aquatic Chronic 2;H411	[1][2]
Disodium metasilicate CAS Number: 0006834-92-0	1.0 - 10	Skin Corr. 1B;H314 STOT SE 3;H335	[1]
Conditioning Agent CAS Number: Proprietary	1.0 - 10	Not Classified	[1]
Soil suspender CAS Number: Proprietary	1.0 - 10	Skin Irrit. 2;H315 Eye Irrit. 2;H319 STOT SE 3;H335	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

## 4. First aid measures

### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	Do NOT induce vomiting. Dilute product by giving large quantities of water or milk. Call your nearest poison control center for further action and seek medical attention immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	<p><u>EFFECTS OF OVEREXPOSURE</u></p> <p>SKIN: Will cause severe irritation, redness, and, if untreated, can result in deep chemical burns.</p> <p>EYES: Corrosive to eyes resulting in irritation, reddening, chemical burns, and, if untreated, possibly permanent blindness.</p> <p>INGESTION: Will causes burns of the mucous membranes in the mouth, throat, esophagus, stomach, and can result in possible death.</p> <p>INHALATION: Airborne concentrations of dusts or mists will cause damage to the upper respiratory tract and lungs, which may result in chemical pneumonia.</p> <p>Medical Conditions Generally Aggravated by Exposure: Dermatitis or related skin conditions. Inhaled dust or spray may aggravate respiratory disease or conditions.</p> <p>See section 2 for further details.</p>
<b>Eyes</b>	Causes serious eye damage.
<b>Skin</b>	May be harmful in contact with skin. Causes severe skin burns and eye damage.

## 5. Fire-fighting measures

### 5.1. Extinguishing media

Water or water spray.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon monoxide

This product will react with "soft" metals such as aluminum, zinc, lithium, and magnesium to produce flammable hydrogen gas.

Do not breathe mist / vapors / spray.

### 5.3. Advice for fire-fighters

None

**ERG Guide No.** 154

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

This product will react with "soft" metals such as aluminum, zinc, lithium, and magnesium to produce flammable hydrogen gas.

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 6.3. Methods and material for containment and cleaning up

Forms corrosive liquid in water. Sweep up and store in a metal container. Dissolve in water and neutralize with dilute acids. Discharge neutralized solution to sanitary sewer in accordance with local environmental regulations. Wash spill area thoroughly with water.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid storing next to strong acids. If product is added too rapidly, or without stirring it may become concentrated at the bottom of mixing vessel; excessive heat may be generated, resulting in dangerous boiling and splattering, and a possibly an immediate and violent reaction.

See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Do not mix with acids, flammable liquids, organic halogens or soft metals. Hydrogen gas and severe corrosion will occur if solutions of concentrated product contacts aluminum.

Keep container closed when moving or not in use. KEEP OUT OF REACH OF CHILDREN. Do not store with food.

See section 2 for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0000497-19-8	Sodium carbonate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0001310-73-2	Sodium hydroxide	OSHA	TWA 2 mg/m <sup>3</sup>
		ACGIH	Ceiling: 2 mg/m <sup>3</sup>

		NIOSH	C 2 mg/m <sup>3</sup>
		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	ACHAN TLV/OSHA 2mg/m <sup>3</sup> PEL 2mg/m <sup>3</sup>
Proprietary	Soil suspender	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
Proprietary	Conditioning Agent	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000497-19-8	Sodium carbonate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0001310-73-2	Sodium hydroxide	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0006834-92-0	Disodium metasilicate	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Soil suspender	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Conditioning Agent	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

## 8.2. Exposure controls

### Respiratory

NIOSH alkaline cartridge in respirator in high mist areas.

### Eyes

Wear safety glasses with side shields to protect the eyes. An eye wash station is suggested as a good workplace practice.

### Skin

Chemical resistant clothing such as coveralls/apron and boots should be worn. Chemical impervious gloves required.

### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

### Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

<b>Appearance</b>	White, Granular Powder
<b>Odor</b>	Slight detergent
<b>Odor threshold</b>	Not Measured
<b>pH</b>	1% solution: 12+
<b>Melting point / freezing point</b>	> 500°C
<b>Initial boiling point and boiling range</b>	Not applicable
<b>Flash Point</b>	Non-flammable
<b>Evaporation rate (Ether = 1)</b>	Not available
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit:</b> Not applicable <b>Upper Explosive Limit:</b> Not applicable
<b>Vapor pressure (Pa)</b>	Not available
<b>Vapor Density</b>	Not available
<b>Specific Gravity</b>	0.94 g/cc
<b>Solubility in Water</b>	Not Measured
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	Not applicable
<b>Decomposition temperature</b>	Not available
<b>Viscosity (cSt)</b>	Not available
<b>VOC Content</b>	Not available
<b>Solubility</b>	Approximately 28 g/100 ml

### 9.2. Other information

No other relevant information.

## 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Product will absorb water and carbon dioxide.

### 10.3. Possibility of hazardous reactions

**WARNING:** This product reacts with reducing sugars from food soils during cleaning to form hazardous carbon monoxide. Before entering closed or semi-closed areas, test and monitor for carbon monoxide. Exposure to carbon monoxide may be fatal.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

Do not mix with acids, flammable liquids, organic halogens or soft metals. Hydrogen gas and severe corrosion will occur if solutions of concentrated product contacts aluminum.

### 10.6. Hazardous decomposition products

Carbon monoxide

## 11. Toxicological information

### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sodium carbonate - (497-19-8)	4,090.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Sodium hydroxide - (1310-73-2)	6,600.00, Mouse - Category: NA	1,350.00, Rabbit - Category: 4	600.00, Mouse - Category: NA	No data available	No data available
Disodium metasilicate - (6834-92-0)	1,153.00, Rat - Category: 4	No data available	No data available	No data available	No data available
Conditioning Agent - (Proprietary)	3,120.00, Rat - Category: 5	No data available	No data available	No data available	No data available
Soil suspender - (Proprietary)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	5	May be harmful in contact with skin. (Not adopted by US OSHA)
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	1A	Causes severe skin burns and eye damage.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

## 12. Ecological information

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sodium carbonate - (497-19-8)	300.00, Lepomis macrochirus	265.00, Daphnia magna	242.00 (72 hr), Freshwater Algae
Sodium hydroxide - (1310-73-2)	196.00, Poecilia reticulata	40.38, Ceriodaphnia dubia	Not Available
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
Conditioning Agent - (Proprietary)	Not Available	Not Available	Not Available
Soil suspender - (Proprietary)	Not Available	Not Available	Not Available

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1759	UN1759	UN1759
14.2. UN proper shipping name	UN1759, Corrosive solids, n.o.s., (Sodium Hydroxide), 8, II	Corrosive solids, n.o.s., (Sodium Hydroxide)	Corrosive solids, n.o.s., (Sodium Hydroxide)
14.3. Transport hazard class(es)	DOT Hazard Class: 8	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	II	II	II
14.5. Environmental hazards			
IMDG	Marine Pollutant: Yes ( Sodium hydroxide )		
14.6. Special precautions for user	No further information		

## 15. Regulatory information



<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act ( TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>WHMIS Classification</b>	D2B E
<b>US EPA Tier II Hazards</b>	<p><b>Fire:</b> No</p> <p><b>Sudden Release of Pressure:</b> No</p> <p><b>Reactive:</b> No</p> <p><b>Immediate (Acute):</b> Yes</p> <p><b>Delayed (Chronic):</b> No</p>

**EPCRA 311/312 Chemicals and RQs (lbs):**

Sodium hydroxide ( 1,000.00)  
 Soil suspender ( 5,000.00)  
 Conditioning agent ( 5,000.00)

**EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**New Jersey RTK Substances (>1%):**

Sodium hydroxide

**Pennsylvania RTK Substances (>1%):**

Sodium hydroxide  
 Soil suspender  
 Conditioning ageng

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

The information herein is presented in good faith and believed to be correct as of the date hereof. However, Diamond Products, Inc., makes no representation as to the completeness and accuracy thereof. Users must make their own determination as to the suitability of the product for their purposes prior to use. No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature with respect to the product or the information herein is made hereunder. Diamond Products, Inc., shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon information contained herein.

End of Document