

# SAFETY DATA SHEET

This SDS complies with 29 CFR 1910.1200 (Hazard Communication Standard) IMPORTANT: Read this SDS before handling & disposing of this product. Pass this information on to employees, customers, and users of this product.

1. Identification				
1.1. Product identifier				
Product Identity	Super Soak			
Alternate Names	Super Soak			
Product Code	320-03			
1.2. Relevant identified uses of the substance or mixt	ure and uses advised against			
Intended use Silverware Presoak				
Application Method	on Method See Label Instructions.			
1.3. Details of the supplier of the safety data sheet				
Company Name	Diamond Products Inc.			
	1216 Bozeman Ave.			
	Helena, MT 59601			
Emergency				
24 hour Emergency Telephone No.	Infotrac: 1 800-535-5053 Emergency: (406) 449-6570			
Customer Service: Diamond Products Inc.	(406) 449-6570			

# 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Acute Tox. 5;H303May be harmful if swallowed. (Not adopted by US OSHA)STOT SE 3;H335May cause respiratory irritation.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H303 May be harmful if swallowed.

H335 May cause respiratory irritation.

#### [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling

#### [Response]:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P340 Remove person to fresh air and keep at rest in a position comfortable for breathing.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

#### [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium carbonate CAS Number: 0000497-19-8	50 - 100	Eye Irrit. 2;H319	[1]
Conditioning agent CAS Number: Proprietary	25 - 50	Not Classified	[1]
Disodium metasilicate CAS Number: 0006834-92-0	1 - 10	Skin Corr. 1B;H314 STOT SE 3;H335	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. \*The full texts of the phrases are shown in Section 16.

# 4. First aid measures

#### 4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air. If dusts have been inhaled, seek medical attention immediately.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	Do NOT induce vomiting. Dilute product by giving large quantities of water or milk. Call your nearest poison control center for further action and seek medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Overview	<ul> <li>Inhalation: Dusts may cause some irritation.</li> <li>Skin Contact: May cause irritation.</li> <li>Eye Contact: May cause irritation and possible eye damage.</li> <li>Ingestion: May cause irritation and burning of mucous membranes of the mouth, throat, esophagus and stomach if ingested in large enough quantities.</li> <li>See section 2 for further details.</li> </ul>
Inhalation	May cause respiratory irritation.
Ingestion	May be harmful if swallowed. (Not adopted by US OSHA)

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Not Applicable

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: None

Avoid breathing dust / fume / gas / mist / vapors / spray.

----

#### 5.3. Advice for fire-fighters

Wear self-contained breathing apparatus.

#### ERG Guide No.

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid excessive skin contact. See section 2 for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Acids and oxidizing agents.

Store in a cool dry place.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

Silverware presoak.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0000497-19-8 Sodiu	Sodium carbonate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0006834-92-0	Disodium metasilicate	OSHA	No Established Limit
		ACGIH	No Established Limit
	NIOSH	No Established Limit	
		Supplier	ACHAN TLV/OSHA 2mg/m <sup>3</sup> PEL 2mg/m <sup>3</sup>
Proprietary	Conditioning agent	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

#### Carcinogen Data

CAS No.	Ingredient	Source	Value	
0000497-19-8	Sodium carbonate	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
0006834-92-0	Disodium metasilicate OS		Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
	IARC		Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	
Proprietary	Conditioning agent	OSHA	Select Carcinogen: No	
		NTP	Known: No; Suspected: No	
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;	

8.2. Exposure controls	
Respiratory	Wear a dust mask if exposed to mists or dust.
Eyes	Protective safety glasses recommended
Skin	None
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
See section 2 for further of	details [Prevention]:

# 9. Physical and chemical properties

A	Dive envetelling a surder
Appearance	Blue crystalline powder
Odor	No odor
Odor threshold	Not Measured
рН	1% solution: 10 - 11
Melting point / freezing point	> 300°F
Initial boiling point and boiling range	Not applicable
Flash Point	Non-flammable
Evaporation rate (Ether = 1)	Not available
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not applicable
	Upper Explosive Limit: Not applicable
Vapor pressure (Pa)	Not available
Vapor Density	Not available
Specific Gravity	0.69 g/cc
Solubility in Water	Very Soluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity (cSt)	Not available
VOC Content	Not available
9.2. Other information	
No other relevant information.	

# 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.
10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No data available.
10.4. Conditions to avoid
No data available.
10.5. Incompatible materials
Acids and oxidizing agents
10.6. Hazardous decomposition products
None

# **11. Toxicological information**

#### Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sodium carbonate - (497-19-8)	4,090.00, Rat -	No data	No data	No data	No data
	Category: 5	available	available	available	available
Disodium metasilicate - (6834-92-0)	1,153.00, Rat -	No data	No data	No data	No data
	Category: 4	available	available	available	available
Conditioning agent - (Proprietary)	3,120.00, Rat -	No data	No data	No data	No data
	Category: 5	available	available	available	available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US OSHA)
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable

Carcinogenicity	Not Applicable	
Reproductive toxicity		Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

# 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity** 

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sodium carbonate - (497-19-8)	300.00, Lepomis macrochirus	265.00, Daphnia magna	242.00 (72 hr), Freshwater Algae
Disodium metasilicate - (6834-92-0)	210.00, Danio rerio	33.53, Ceriodaphnia dubia	400.00 (72 hr), Pseudokirchneriella subcapitata
Conditioning agent - (Proprietary)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### **13. Disposal considerations**

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### 14. Transport information

DOT (Domestic Surface Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

14.1. UN number	Not Applicable	Not Regulated	Not Regulated	
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated	
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable	
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable	
14.5. Environmental hazards				
IMDG Mar	Marine Pollutant: No			
14.6. Special precautions for user				

#### No further information

# **15. Regulatory information**

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.		
Toxic Substance Control Act ( TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.		
WHMIS Classification	Not Regulated		
US EPA Tier II Hazards	Fire: No		

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs (lbs):

Conditioning Agent (5,000.00)

#### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### New Jersey RTK Substances (>1%) :

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Pennsylvania RTK Substances (>1%):

Conditioning Agent

### **16. Other information**

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

# This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information herein is presented in good faith and believed to be correct as of the date hereof. However, Diamond Products, Inc., makes no representation as to the completeness and accuracy thereof. Users must make their own determination as to the suitability of the product for their purposes prior to use. No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature with respect to the product or the information herein is made hereunder. Diamond Products, Inc., shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon information contained herein.

End of Document